Assignment II

Database Design and ER Modeling

The overall purpose of the lab is to practice the process of modeling and designing a relational database given a certain scenario. The lab involves extending a given ER diagram, and then translating that extension to the relational model. The student should become familiar with how to create tables in SQL, define primary and foreign keys, and insert and update data into tables.

After the lab, the student should be able to model real world scenarios in terms of EER model and translate an EER diagram into a relational database implementation.

1 Preparations

If needed install Mimer and then set up the Johnson Brothers database. Instructions and scripts can be found at the lab course webpage.

2 Background reading

• Elmasri/Navathe: chapter 3, 4, and 8.

• Padron-McCarthy/Risch: chapter 2, 3, 7, and 9.

3 The scenario - the company database

The Jonson Brothers is a retail company with department stores in many major US cities. The company has a large number of employees and sells a varied line of products. To manage all information about the company structure and products, a database system is used. The company consists of a number of stores that contain a number of departments. The company has a number of employees, who (among other things) sell items at the different stores. Sales are registered in the sale and debit tables. The sale and debit tables may be a bit tricky to understand. You can view a row in the debit table as representing the receipt you get when you pay for your items, while a row in the sale table represents a row on such a receipt.

The company has contracts with various suppliers, who supply items for sale and also parts for the company's computer equipment. Deliveries of computer parts are registered in the supply table. The current state of the company database can be seen in the ER diagram given in Appendix A and the table definitions and contents in the appendixes B and C.

The business is expanding and the database is continuously being extended with new information. The management of Jonson Brothers has hired you to help them to extend their database. The work requires extensions to support a bonus system where managers can be given an extra bonus (e.g. if their departments have met their sale predictions) added to their salary. The management also wants to tie up customers to shop more by creating a credit card that users can use when paying for items that they buy.

4 Exercises

IMPORTANT NOTICE: Please be aware that Assignment 3 will be based on the results of these exercises. Good solutions and understanding of them is therefore highly recommended.

- 1) Start by analyzing the ER diagram in Appendix A, and the relational database in Appendix B and Appendix C. Based on the structure of the relational database denote on the diagram cardinality ratios of the relationships, such as one-to-one, one-to-many, and many-to-many.
- 2) Extend the ER diagram with an entity type MANAGER that is a sub-class of employee. A manager is an employee who is a head of a department, or manager of other employees, or both. Add support for a manager bonus that is added to the salary, by giving the manager entity a bonus attribute. Draw your extensions to the ER diagram in the appendix A, translate the extension to the relational model, and implement it in the company database.
- 3) Once you have changed the schema, change also the data, so that all managers are managers! That is, if you have made a manager table, you should insert data in it. Since manager data already exists in the database, it is desirable that you select it instead of entering it row by row. You also have to change the database implementation to ensure that only managers manage employees and departments.
- 4) All departments showed good sales figures last year! Give all current department managers 10000 in bonus. Note that not all managers are department managers.
- 5) In the existing database, your customers can buy things and pay for them, as reflected by the sale and debit tables. Now, you want to create support for a customer card, with possible credit. The customers will have accounts, where they can deposit and withdraw money, and pay for the purchases. Add the following:
 - Information about customers such as name, street address, city, and state must be stored. Notice that the database already contains some city information and avoid redundancies!
 - Information about accounts such as account number, balance, and allowed credit.
 - Information about account deposits/withdrawals such as transaction number, account number, amount, date, and time of deposit/withdrawal, and the employee responsible for the transaction (that is, the employee that registers the transaction, not the customer that owns the account). Replace the entity type DEBIT by a more general entity type, called for example TRANSACT. This entity type represents not only sales, but also deposits and withdrawals. You may want to drop the table debit, and create a new table for the new information. Note that DEBIT contains data, which should not be lost.
 - Customers and accounts should be defined with customer and account numbers (integers) that can be automatically generated.

Extend the EER diagram with your new entities, relationships, and attributes. Implement your extension in your Mimer database. Ensure that all new relations are in BCNF. Add primary keys and any foreign keys to your table definitions.

Hints:

Foreign keys are added either when defining a table (after the attribute definitions), or by altering it:

```
ALTER TABLE tablename1
ADD FOREIGN KEY (columnname1, columnname2, ...)
REFERENCES tablename2 (columnname1, columnname2, ...);
```

Sequences are used to automatically generate unique numbers: CREATE UNIQUE SEQUENCE sequame

INITIAL_VALUE = init_value INCREMENT = increment;

The generated sequence of numbers can be used as a default value for a column in a table definition:

```
... DEFAULT NEXT_VALUE OF seqname ...
```

Refer to MIMER SQL Language Reference for details. Also look in the files that you loaded the original database from.

5 Handing in solutions

Hand in:

- Your new EER diagram. You can extend and modify (possibly by hand) the ER diagram given in Appendix A;
- SQL commands modifying the database schema and data: table definitions including primary and foreign key definitions, inserts, and updates. Include the replies from the database server when the commands are run;
- Motivate why your relations are in BCNF by specifying all functional dependencies.

6 Appendices


Appendix A: An ER diagram of the existing Jonson Brothers company database

Appendix B: The DDL statements creating the Jonson Brothers company database schema

Appendix C: The contents of the existing company Jonson Brothers database

Appendix A:

E/R diagram of the existing company database:



Appendix B:

The schema for the existing company database

```
CREATE TABLE employee
        (number INTEGER CONSTRAINT pk_employee PRIMARY KEY,
        name VARCHAR(20),
        salary INTEGER,
        manager INTEGER,
        birthyear INTEGER,
        startyear INTEGER);
CREATE TABLE dept
        (number INTEGER CONSTRAINT pk_dept PRIMARY KEY,
        name VARCHAR(20),
        store INTEGER NOT NULL,
        floor INTEGER,
        manager INTEGER);
CREATE TABLE item
        (number INTEGER CONSTRAINT pk_item PRIMARY KEY,
        name VARCHAR(20),
        dept INTEGER NOT NULL,
         price INTEGER,
         qoh INTEGER CONSTRAINT ck_item_qoh CHECK (qoh >= 0),
         supplier INTEGER NOT NULL);
CREATE TABLE parts
        (number INTEGER CONSTRAINT pk_parts PRIMARY KEY,
        name VARCHAR(20),
        color VARCHAR(8),
        weight INTEGER,
        qoh INTEGER);
CREATE TABLE supply
       (supplier INTEGER NOT NULL,
        part INTEGER NOT NULL,
        shipdate DATE NOT NULL,
        quan INTEGER,
        CONSTRAINT pk_supply PRIMARY KEY (supplier, part, shipdate));
CREATE TABLE sale
        (debit INTEGER NOT NULL,
        item INTEGER NOT NULL,
        quantity INTEGER,
        CONSTRAINT pk_sale PRIMARY KEY (debit, item));
CREATE TABLE debit
        (number INTEGER CONSTRAINT pk_debit PRIMARY KEY,
        sdate DATE DEFAULT CURRENT_DATE NOT NULL,
        employee INTEGER NOT NULL,
        account INTEGER NOT NULL);
CREATE TABLE city
        (name VARCHAR(15) CONSTRAINT pk_city PRIMARY KEY,
        state VARCHAR(6));
CREATE TABLE store
        (number INTEGER CONSTRAINT pk_store PRIMARY KEY,
        city VARCHAR(15) NOT NULL);
CREATE TABLE supplier
        (number INTEGER CONSTRAINT pk_supplier PRIMARY KEY,
        name VARCHAR(20),
        city VARCHAR(15) NOT NULL);
-- Add foreign keys
ALTER TABLE dept
       ADD CONSTRAINT fk_dept_store FOREIGN KEY (store) REFERENCES store (number);
ALTER TABLE dept
       ADD CONSTRAINT fk_dept_employee FOREIGN KEY (manager) REFERENCES employee (number)
        ON DELETE SET NULL;
ALTER TABLE item
       ADD CONSTRAINT fk_item_dept FOREIGN KEY (dept) REFERENCES dept (number);
```

Database Technology, 2008

Assignment II: Database Design and ER Modeling

```
ALTER TABLE item
       ADD CONSTRAINT fk_item_supplier FOREIGN KEY (supplier) REFERENCES supplier (number);
ALTER TABLE supply
       ADD CONSTRAINT fk_supply_supplier FOREIGN KEY (supplier) REFERENCES supplier (number);
       ADD CONSTRAINT fk_supply_parts FOREIGN KEY (part) REFERENCES parts (number);
ALTER TABLE sale
       ADD CONSTRAINT fk_sale_item FOREIGN KEY (item) REFERENCES item (number);
ALTER TABLE sale
       ADD CONSTRAINT fk_sale_debit FOREIGN KEY (debit) REFERENCES debit(number);
-- implies that a debit/transaction must be created before a sale record.
       ADD CONSTRAINT fk_debit_employee FOREIGN KEY (employee) REFERENCES employee (number);
ALTER TABLE store
       ADD CONSTRAINT fk_store_city FOREIGN KEY (city) REFERENCES city (name);
ALTER TABLE supplier
       ADD CONSTRAINT fk_supplier_city FOREIGN KEY (city) REFERENCES city (name);
-- Create the view that has to be modified in lab 2, question 17
CREATE VIEW sale_supply(supplier, item, quantity) as
       SELECT supplier.name, item.name, sale.quantity
       FROM supplier, item, sale
       WHERE supplier.number = item.supplier AND
              sale.item = item.number;
```

Appendix C:

The contents of the existing company database:

SELECT * FROM employee;				
NUMBER NAME	SALARY	MANAGER	BIRTHYEAR	STARTYEAR
	========	========	========	========
10 Ross, Stanley	15908	199	1927	1945
11 Ross, Stuart	12067	_	1931	1932
13 Edwards, Peter	9000	199	1928	1958
26 Thompson, Bob	13000	199	1930	1970
32 Smythe, Carol	9050	199	1929	1967
33 Hayes, Evelyn	10100	199	1931	1963
35 Evans, Michael	5000	32	1952	1974
37 Raveen, Lemont	11985	26	1950	1974
55 James, Mary	12000	199	1920	1969
98 Williams, Judy	9000	199	1935	1969
129 Thomas, Tom	10000	199	1941	1962
157 Jones, Tim	12000	199	1940	1960
199 Bullock, J.D.	27000	_	1920	1920
215 Collins, Joanne	7000	10	1950	1971
430 Brunet, Paul C.	17674	129	1938	1959
843 Schmidt, Herman	11204	26	1936	1956
994 Iwano, Masahiro	15641	129	1944	1970
1110 Smith, Paul	6000	33	1952	1973
1330 Onstad, Richard	8779	13	1952	1971
1523 Zugnoni, Arthur A.	19868	129	1928	1949
1639 Choy, Wanda	11160	55	1947	1970
2398 Wallace, Maggie J.	7880	26	1940	1959
4901 Bailey, Chas M.	8377	32	1956	1975
5119 Bono, Sonny	13621	55	1939	1963
5219 Schwarz, Jason B.	13374	33	1944	1959

25 rows found

SELECT * FRO	OM dept;			
NUMBER	NAME	STORE	FLOOR	MANAGER
========		========	========	========
1	Bargain	5	0	37
10	Candy	5	1	13
14	Jewelry	8	1	33
19	Furniture	7	4	26
20	Major Appliances	7	4	26
26	Linens	7	3	157
28	Women's	8	2	32
34	Stationary	5	1	33
35	Book	5	1	55
43	Children's	8	2	32
47	Junior Miss	7	2	129
49	Toys	8	2	35
58	Men's	7	2	129
60	Sportswear	5	1	10
63	Women's	7	3	32
65	Junior's	7	3	37
70	Women's	5	1	10
73	Children's	5	1	10
99	Giftwrap	5	1	98

19 rows found

SELECT * FROM store;

NUMBER CITY

3 rows found

⁵ San Francisco 7 Oakland

⁸ El Cerrito

SELECT * F	ROM ite	m;
------------	---------	----

NUMBER	NAME	DEPT	PRICE	QOH	SUPPLIER
========	=======================================				
11	Wash Cloth	1	75	575	213
19	Bellbottoms	43	450	600	33
21	ABC Blocks	1	198	405	125
23	1 lb Box	10	215	100	42
25	2 lb Box, Mix	10	450	75	42
26	Earrings	14	1000	20	199
43	Maze	49	325	200	89
52	Jacket	60	3295	300	15
101	Slacks	63	1600	325	15
106	Clock Book	49	198	150	125
107	The 'Feel' Book	35	225	225	89
115	Gold Ring	14	4995	10	199
118	Towels, Bath	26	250	1000	213
119	Squeeze Ball	49	250	400	89
120	Twin Sheet	26	800	750	213
121	Queen Sheet	26	1375	600	213
127	Ski Jumpsuit	65	4350	125	15
165	Jean	65	825	500	33
258	Shirt	58	650	1200	33
301	Boy's Jean Suit	43	1250	500	33

20 rows found

SELECT * FROM parts;

NUMBER	NAME	COLOR	WEIGHT	QOH
========	=======================================	=======	========	========
1	central processor	pink	10	1
2	memory	gray	20	32
3	disk drive	black	685	2
4	tape drive	black	450	4
5	tapes	gray	1	250
6	line printer	yellow	578	3
7	l-p paper	white	15	95
8	terminals	blue	19	15
9	terminal paper	white	2	350
10	byte-soap	clear	0	143
11	card reader	gray	327	0
12	card punch	gray	427	0
13	paper tape reader	black	107	0
14	paper tape punch	black	147	0

14 rows found

SELECT * FROM sale;

QUANTITY	ITEM	DEBIT
========	========	========
5	118	100581
1	120	100581
1	26	100582
2	106	100586
3	127	100586
1	258	100592
2	23	100593
1	52	100594

8 rows found

SELECT * FROM debit;

NUMBER	SDATE	EMPLOYEE	ACCOUNT
100581	1995-01-15	157	10000000
100582	1995-01-15	1110	14356540
100586	1995-01-16	35	14096831
100592	1995-01-17	129	10000000
100593	1995-01-18	13	11652133
100594	1995-01-18	215	12591815

6 rows found

Database Technology, 2008 Assignment II: Database Design and ER Modeling

SELECT * FROM ci	ty;
NAME	STATE
==========	=====
Amherst	Mass
Atlanta	Ga
Boston	Mass
Dallas	Tex
Denver	Colo
El Cerrito	Calif
Hickville	Okla
Los Angeles	Calif
Madison	Wisc
New York	NY
Oakland	Calif
Paxton	Ill
Salt Lake City	Utah
San Diego	Calif
San Francisco	Calif
Seattle	Wash
White Plains	Neb

17 rows found

SELECT	*	FROM	supply;

SELECT FRO			
SUPPLIER	PART	SHIPDATE	QUAN
========		========	========
5	4	1994-11-15	3
5	4	1995-01-22	6
20	5	1995-01-10	20
20	5	1995-01-11	75
62	3	1994-06-18	3
67	4	1995-07-01	1
89	3	1995-07-04	1000
89	4	1995-07-04	1000
122	7	1995-02-01	144
122	7	1995-02-02	48
122	9	1995-02-01	144
241	1	1995-06-01	1
241	2	1995-06-01	32
241	3	1995-06-01	1
241	4	1993-12-31	1
241	8	1995-07-01	1
241	9	1995-07-01	144
440	6	1994-10-10	2
475	1	1993-12-31	1
475	1	1994-07-01	1
475	2	1993-12-31	32
475	2	1994-05-31	32
475	3	1993-12-31	2
475	4	1994-05-31	1
999	10	1996-01-01	144

25 rows found

SELECT * FROM supplier;

SELECT * FRO	JM supplier;	
NUMBER	NAME	CITY
========	=======================================	==========
5	Amdahl	San Diego
15	White Stag	White Plains
20	Wormley	Hickville
33	Levi-Strauss	San Francisco
42	Whitman's	Denver
62	Data General	Atlanta
67	Edger	Salt Lake City
89	Fisher-Price	Boston
122	White Paper	Seattle
125	Playskool	Dallas
199	Koret	Los Angeles
213	Cannon	Atlanta
241	IBM	New York
440	Spooley	Paxton
475	DEC	Amherst
999	A E Neumann	Madison

16 rows found