

Automatic Verification of Dynamic Data-Dependent Programs

Parosh Aziz Abdulla¹, Muhsin Atto¹, Jonathan Cederberg¹, Ran Ji¹.

¹ Uppsala University, Sweden.

Abstract. We present a new approach for automatic verification of data-dependent programs manipulating dynamic heaps. A heap is encoded by a graph where the nodes represent the cells, and the edges reflect the pointer structure between the cells of the heap. Each cell contains a set of variables which range over the natural numbers. Our method relies on standard backward reachability analysis, where the main idea is to use a simple set of predicates, called *signatures*, in order to represent bad sets of heaps. Examples of bad heaps are those which contain either garbage, lists which are not well-formed, or lists which are not sorted. We present the results for the case of programs with a single next-selector, and where variables may be compared for equality or inequality. This allows us to verify for instance that a program, like bubble sort or insertion sort, returns a list which is well-formed and sorted, or that the merging of two sorted lists is a new sorted list. We will report on the result of running a prototype based on the method on a number of programs.

1 Introduction

We consider automatic verification of data-dependent programs that manipulate dynamic linked lists. The contents of the linked lists, here referred to as a *heap*, is represented by a graph. The nodes of the graph represent the cells of the heap, while the edges reflect the pointer structure between the cells (see Figure 1 for a typical example). The program has a dynamic behaviour in the sense that cells may be created and deleted; and that pointers may be re-directed during the execution of the program. The program is also data-dependent since the cells contain variables, ranging over the natural numbers, that can be compared for (in)equality and whose values may be updated by the program. The values of the local variables are provided as attributes to the corresponding cells. Finally, we have a set of (pointer) variables which point to different cells inside the heap.

In this paper, we consider the case of programs with a single next-selector, i.e., where each cell has at most one successor. For this class of programs, we provide a method for automatic verification of safety properties. Such properties can be either *structural properties* such as absence of garbage, sharing, and dangling pointers; or *data properties* such as sortedness. We provide a simple symbolic representation, which we call *signatures*, for characterizing (infinite) sets of heaps. Signatures can also be represented by graphs. The difference, compared to the case of heaps, is that some parts may be “missing” from the graph of a signature. For instance, the absence of a pointer means that the pointer may point

to an arbitrary cell inside a heap satisfying the signature. In this manner, a signature can be interpreted as a *forbidden pattern* which should not occur inside the heap. The forbidden pattern is essentially a set of minimal conditions which should be satisfied by any heap in order for the heap to satisfy the signature. A heap satisfying the signature is considered to be *bad* in the sense that it contains a bad pattern which in turn implies that it violates one of the properties mentioned above. Examples of bad patterns in heaps are garbage, lists which are not well-formed, or lists which are not sorted. This means that checking a safety property amounts to checking the reachability of a finite set of signatures. We perform standard backward reachability analysis, using signatures as a symbolic representation, and starting from the set of bad signatures. We show how to perform the two basic operations needed for backward reachability analysis, namely checking entailment and computing predecessors on signatures.

For checking entailment, we define a pre-order \sqsubseteq on signatures, where we view a signature as three separate graphs with identical sets of nodes. The edge relation in one of the three graphs reflects the structure of the heap graph, while the other two reflect the ordering on the values of the variables (equality resp. inequality). Given two signatures g_1 and g_2 , we have $g_1 \sqsubseteq g_2$ if g_1 can be obtained from g_2 by a sequence of transformations consisting of either deleting an edge (in one of the three graphs), a variable, an isolated node, or contracting segments (i.e., sequence of nodes) without sharing in the structure graph. In fact, this ordering also induces an ordering on heaps where $h_1 \sqsubseteq h_2$ if, for all signatures g , h_2 satisfies g whenever h_1 satisfies g .

When performing backward reachability analysis, it is essential that the underlying symbolic representation, signatures in our case, is closed under the operation of computing predecessors. More precisely, for a signature g , let us define $Pre(g)$ to be the set of *predecessors* of g , i.e., the set of signatures which characterize those heaps from which we can perform one step of the program and as a result obtain a heap satisfying g . Unfortunately, the set $Pre(g)$ does not exist in general under the operational semantics of the class of programs we consider in this paper. Therefore, we consider an over-approximation of the transition relation where a heap h is allowed first to move to smaller heap (w.r.t. the ordering \sqsubseteq) before performing the transition. For the approximated transition relation, we show that the set $Pre(g)$ exists, and that it is finite and computable.

One advantage of using signatures is that it is quite straightforward to specify sets of bad heaps. For instance, forbidden patterns for the properties of list well-formedness and absence of garbage can each be described by 4-6 signatures, with 2-3 nodes in each signature. Also, the forbidden pattern for the property that a list is sorted consists of only one signature with two nodes. Furthermore, signatures offer a very compact symbolic representation of sets of bad heaps. In fact, when verifying our programs, the number of nodes in the signatures which arise in the analysis does not exceed ten. In addition, the rules for computing predecessors are *local* in the sense that they change only a small part of the graph (typically one or two nodes and edges). This makes it possible to check entailment and compute predecessors quite efficiently.

The whole verification process is fully automatic since both the approximation and the reachability analysis are carried out without user intervention. Notice that if we verify a safety property in the approximate transition system then this also implies its correctness in the original system. We have implemented a prototype based on our method, and carried out automatic verification of several programs such as insertion in a sorted lists, bubble sort, insertion sort, merging of sorted lists, list partitioning, reversing sorted lists, etc. Although the procedure is not guaranteed to terminate in general, our prototype terminates on all these examples.

Related Work Several works consider the verification of singly linked lists with data. The paper [12] presents a method for automatic verification of sorting programs that manipulate linked lists. The method is defined within the framework of TVLA which provides an abstract description of the heap structures in 3-valued logic [17]. The user may be required to provide *instrumentation predicates* in order to make the abstraction sufficiently precise. The analysis is performed in a forward manner. In contrast, the search procedure we describe in this paper is backward, and therefore also *property-driven*. Thus, the signatures obtained in the traversal do not need to express the state of the entire heap, but only those parts that contribute to the eventual failure. This makes the two methods conceptually and technically different. Furthermore, the difference in search strategy implies that forward and backward search procedures often offer varying degrees of efficiency in different contexts, which makes them complementary to each other in many cases. This has been observed also for other models such as parameterized systems, timed Petri nets, and lossy channel systems (see e.g. [4, 9, 1]).

Another approach to verification of linked lists with data is proposed in [6, 7] based on *abstract regular model checking (ARMC)* [8]. In ARMC, finite-state automata are used as a symbolic representation of sets of heaps. This means that the ARMC-based approach needs the manipulation of quite complex encodings of the heap graphs into words or trees. In contrast, our symbolic representation uses signatures which provide a simpler and more natural representation of heaps as graphs. Furthermore, ARMC uses a sophisticated machinery for manipulating the heap encodings based on representing program statements as (word/tree) transducers. However, as mentioned above, our operations for computing predecessors are all *local* in the sense that they only update limited parts of the graph thus making it possible to have much more efficient implementations.

The paper [5] uses counter automata as abstract models of heaps which contain data from an ordered domain. The counters are used to keep track of lengths of list segments without sharing. The analysis reduces to manipulation of counter automata, and thus requires techniques and tools for these automata.

Recently, there has been an extensive work to use *separation logic* [16] for performing shape analysis of programs that manipulate pointer data structures (see e.g. [10, 19]). The paper [14] describes how to use separation logic in order to provide a semi-automatic procedure for verifying data-dependent programs which manipulate heaps. In contrast, the approach we present here uses a built-

in abstraction principle which is different from the ones used above and which makes the analysis fully automatic.

The tool PALE (Pointer Assertion Logic Engine) [13] checks automatically properties of programs manipulating pointers. The user is required to supply assertions expressed in the weak monadic second-order logic of graph types. This means that the verification procedure as a whole is only partially automatic. The tool MONA [11], which uses translations to finite-state automata, is employed to verify the provided assertions.

In our previous work [3], we used backward reachability analysis for verifying heap manipulating programs. However, the programs are restricted to be data-independent. The extension to the case of data-dependent programs is not trivial and requires an intricate treatment of the ordering on signatures. In particular, the interaction between the structural and the data orderings is central to our method. This is used for instance to specify basic properties like sortedness (whose forbidden pattern contains edges from both orderings). Hence, none of the programs we consider in this paper can be analyzed in the framework of [3].

Outline In the next section, we describe our model of heaps, and introduce the programming language together with the induced transition system. In Section 3, we introduce the notion of signatures and the associated ordering. Section 4 describes how to specify sets of bad heaps using signatures. In Section 5 we give an overview of the backward reachability scheme, and show how to compute the predecessor relation on signatures. The experimental results are presented in Section 6. Finally, in Section 7 we give some conclusions and directions for future research. Definitions of some of the operations, and descriptions of the case studies are given in the appendix and in [2].

2 Heaps

In this section, we give some preliminaries on programs which manipulate heaps.

Let \mathbb{N} be the set of natural numbers. For sets A and B , we write $f : A \rightarrow B$ to denote that f is a (possibly partial) function from A to B . We write $f(a) = \perp$ to denote that $f(a)$ is undefined. We use $f[a \leftarrow b]$ to denote the function f' such that $f'(a) = b$ and $f'(x) = f(x)$ if $x \neq a$. In particular, we use $f[a \leftarrow \perp]$ to denote the function f' which agrees on f on all arguments, except that $f'(a)$ is undefined.

Heaps We consider programs which operate on dynamic data structures, here called *heaps*. A heap consists of a set of *memory cells* (*cells* for short), where each cell has one next-pointer. Examples of such heaps are singly linked lists and circular lists, possibly sharing their parts (see Figure 1). A cell in the heap may contain a datum which is a natural number. A program operating on a heap may use a finite set of *variables* representing *pointers* whose values are cells inside the heap. A pointer may have the special value `null` which represents a cell without successors. Furthermore, a pointer may be *dangling* which means that it does not point to any cell in the heap. Sometimes, we write the “ x -

cell” to refer to the the cell pointed to by the variable x . We also write “the value of the x -cell” to refer to the value stored inside the cell pointed to by x .

A heap can naturally be encoded by a graph, as the one of Figure 1. A vertex in the graph represents a cell in the heap,




Fig. 1. A typical graph representing the heap.

while the edges reflect the successor (pointer) relation on the cells. A variable is attached to a vertex in the graph if the variable points to the corresponding cell in the heap. Cell values are written inside the nodes (absence of a number means that the value is undefined).

Assume a finite set X of variables. Formally, a *heap* is a tuple $(M, Succ, \lambda, Val)$ where

- M is a finite set of (*memory*) *cells*. We assume two special cells $\#$ and $*$ which represent the constant `null` and the *dangling* pointer value respectively. We define $M^\bullet := M \cup \{\#, *\}$.
- $Succ : M \rightarrow M^\bullet$. If $Succ(m_1) = m_2$ then the (only) pointer of the cell m_1 points to the cell m_2 . The function $Succ$ is total which means that each cell in M has a successor (possibly $\#$ or $*$). Notice that the special cells $\#$ and $*$ have no successors.
- $\lambda : X \rightarrow M^\bullet$ defines the cells pointed to by the variables. The function λ is total, i.e., each variable points to one cell (possibly $\#$ or $*$).
- $Val : M \rightarrow \mathbb{N}$ is a partial function which gives the values of the cells.

In Figure 1, we have 17 cells of which 15 are in M , The set X is given by $\{x, y, z, v, w\}$. The successor of the z -cell is `null`. Variable w is attached to the cell $*$, which means that w is dangling (w does not point to any cell in the heap). Furthermore, the value of the x -cell is 6, the value of the y -cell is not defined, the value of the successor of the y -cell is 3, etc.

Remark In fact, we can allow cells to contain multiple values. However, to simplify the presentation, we keep the assumption that a cell contains only one number. This will be sufficient for our purposes; and furthermore, all the definitions and methods we present in the paper can be extended in a straightforward manner to the general case. Furthermore, we can use ordered domains other than the natural numbers such as the integers, rationals, or reals.

Programming Language We define a simple programming language. To this end, we assume, together with the earlier mentioned set X of variables, the constant `null` where `null` $\notin X$. We define $X^\# := X \cup \{\text{null}\}$. A *program* P is a pair (Q, T) where Q is a finite set of *control states* and T is a finite set of *transitions*. The control states represent the locations of the program. A transition is a triple (q_1, op, q_2) where $q_1, q_2 \in Q$ are control states and op is an

operation. In the transition, the program changes location from q_1 to q_2 , while it checks and manipulates the heap according to the operation op . The operation op is of one of the following forms

- $x = y$ or $x \neq y$ where $x, y \in X^\#$. The program checks whether the x - and y -cells are identical or different.
- $x := y$ or $x.next := y$ where $x \in X$ and $y \in X^\#$. In the first operation, the program makes x point to the y -cell, while in the second operation it updates the successor of the x -cell, and makes it equal to the y -cell.
- $x := y.next$ where $x, y \in X$. The variable x will now point to the successor of the y -cell.
- $new(x)$, $delete(x)$, or $read(x)$, where $x \in X$. The first operation creates a new cell and makes x point to it; the second operation removes the x -cell from the heap; while the third operation reads a new value and assigns it to the x -cell.
- $x.num = y.num$, $x.num < y.num$, $x.num := y.num$, $x.num :=> y.num$, or $x.num :=< y.num$, where $x, y \in X$. The first two operations compare the values of (number stored inside) the x - and y -cells. The third operation copies the value of the y -cell to the x -cell. The fourth (fifth) operation assigns non-deterministically a value to the x -cell which is larger (smaller) than that of the y -cell.

Figure 2 illustrates the effect of a sequence of operations of the forms described above on a number of heaps. Examples of some programs can be found in the appendix and in [2].




Fig. 2. Starting from the heap h_0 , the heaps h_1 , h_2 , h_3 , h_4 , and h_5 are generated by performing the following sequence of operations: $z.num :=> x.num$, $x := y.next$, $delete(x)$, $new(x)$, and $z.next := y$. To simplify the figures, we omit the special nodes $\#$ and $*$ unless one of the variables x, y, z is attached to them. For this reason the cell $\#$ is missing in all the heaps, and $*$ is present only in h_3, h_4, h_5 .

Transition System We define the operational semantics of a program $P = (Q, T)$ by giving the transition system induced by P . In other words, we define the set of configurations and a transition relation on configurations. A *configuration* is a pair (q, h) where $q \in Q$ represents the location of the program, and h is a heap.

We define a transition relation (on configurations) that reflects the manner in which the instructions of the program change a given configuration. First, we define some operations on heaps. Fix a heap $h = (M, Succ, \lambda, Val)$. For $m_1, m_2 \in M$, we use $(h.Succ)[m_1 \leftarrow m_2]$ to denote the heap h' we obtain by updating the successor relation such that the cell m_2 now becomes the successor of m_1 (without changing anything else in h). Formally, $h' = (M, Succ', Val, \lambda)$ where $Succ' = Succ[m_1 \leftarrow m_2]$. Analogously, $(h.\lambda)[x \leftarrow m]$ is the heap we obtain by making x point to the cell m ; and $(h.Val)[m \leftarrow i]$ is the heap we obtain by assigning the value i to the cell m . For instance, in Figure 2, let h_i be of the form $(M_i, Succ_i, Val_i, \lambda_i)$ for $i \in \{0, 1, 2, 3, 4, 5\}$. Then, we have $h_1 = (h_0.Val)[\lambda_0(z) \leftarrow 9]$ since we make the value of the z -cell equal to 9. Also, $h_2 = (h_1.\lambda_1)[x \leftarrow Succ_1(\lambda_1(y))]$ since we make x point to the successor of the y -cell. Furthermore, $h_5 = (h_4.Succ_4)[\lambda_4(z) \leftarrow \lambda_4(y)]$ since we make the y -cell the successor of the z -cell.

Consider a cell $m \in M$. We define $h \ominus m$ to be the heap h' we get by deleting the cell m from h . More precisely, we define $h' := (M', Succ', \lambda', Val')$ where

- $M' = M - \{m\}$.
- $Succ'(m') = Succ(m')$ if $Succ(m') \neq m$, and $Succ'(m') = *$ otherwise. In other words, the successor of cells pointing to m will become dangling in h' .
- $\lambda'(x) = *$ if $\lambda(x) = m$, and $\lambda'(x) = \lambda(x)$ otherwise. In other words, variables pointing to the same cell as x in h will become dangling in h' .
- $Val'(m') = Val(m')$ if $m' \in M'$. That is, the function Val' is the restriction of Val to M' : it assigns the same values as Val to all the cells which remain in M' (since $m \notin M'$, it not meaningful to speak about $Val(m)$).

In Figure 2, we have $h_3 = h_2 \ominus \lambda_2(x)$.

Let $t = (q_1, op, q_2)$ be a transition and let $c = (q, h)$ and $c' = (q', h')$ be configurations. We write $c \xrightarrow{t} c'$ to denote that $q = q_1$, $q' = q_2$, and $h \xrightarrow{op} h'$, where $h \xrightarrow{op} h'$ holds if we obtain h' by performing the operation op on h . For brevity, we give the definition of the relation \xrightarrow{op} for three types of operations. The rest of the cases can be found in the appendix.

- op is of the form $x := y.next$, $\lambda(y) \in M$, $Succ(\lambda(y)) \neq *$, and $h' = (h.\lambda)[x \leftarrow Succ(\lambda(y))]$.
- op is of the form $new(x)$, $M' = M \cup \{m\}$ for some $m \notin M$, $\lambda' = \lambda[x \leftarrow m]$, $Succ' = Succ[m \leftarrow *]$, $Val'(m') = Val(m')$ if $m' \neq m$, and $Val'(m) = \perp$. This operation creates a new cell and makes x point to it. The value of the new cell is not defined, while the successor is the special cell $*$. As an example of this operation, see the transition from h_3 to h_4 in Figure 2.
- op is of the form $x.num := y.num$, $\lambda(x) \in M$, $\lambda(y) \in M$, $Val(\lambda(y)) \neq \perp$, and $h' = (h.Val)[\lambda(x) \leftarrow i]$, where $i > Val(\lambda(y))$.

We write $c \longrightarrow c'$ to denote that $c \xrightarrow{t} c'$ for some $t \in T$; and use \longrightarrow^* to denote the reflexive transitive closure of \longrightarrow . The relations \longrightarrow and \longrightarrow^* are extended to sets of configurations in the obvious manner.

Remark One could also allow deterministic assignment operations of the form $x.num := y.num + k$ or $x.num := y.num - k$ for some constant k . However, according to the approximate transition relation which we define in Section 5, these operations will have identical interpretations as the non-deterministic operations given above.

3 Signatures

In this section, we introduce the notion of *signatures*. We will define an ordering on signatures from which we derive an ordering on heaps. We will then show how to use signatures as a symbolic representation of infinite sets of heaps.

Signatures Roughly speaking, a signature is a graph which is “less concrete” than a heap in the following sense:

- We do not store the actual values of the cells in a signature. Instead, we define an ordering on the cells which reflects their values.
- The functions *Succ* and λ in a signature are partial (in contrast to a heap in which these functions are total).

Formally, a signature g is a tuple of the form $(M, Succ, \lambda, Ord)$, where M , *Succ*, λ are defined in the same way as in heaps (Section 2), except that *Succ* and λ are now *partial*. Furthermore, *Ord* is a partial function from $M \times M$ to the set $\{\prec, \equiv\}$. Intuitively, if $Succ(m) = \perp$ for some cell $m \in M$, then this means that g puts no constraints on the successor of m , i.e., the successor of m can be any arbitrary cell. Analogously, if $\lambda(x) = \perp$, then x may point to any of the cells. The relation *Ord* constrains the ordering on the cell values. If $Ord(m_1, m_2) = \prec$ then the value of m_1 is strictly smaller than that of m_2 ; and if $Ord(m_1, m_2) = \equiv$ then their values are equal. This means that we abstract away the actual values of the cells, and only keep track of their ordering (and whether they are equal). For a cell m , we say that the value of m is *free* if $Ord(m, m') = \perp$ and $Ord(m', m) = \perp$ for all other cells m' . Abusing notation, we write $m_1 \prec m_2$ (resp. $m_1 \equiv m_2$) if $Ord(m_1, m_2) = \prec$ (resp. $Ord(m_1, m_2) = \equiv$).

We represent signatures graphically in a manner similar to that of heaps. Figure 3 shows graphical representations of six signatures g_0, \dots, g_5 over the set of variables $\{x, y, z\}$. If a vertex in the graph has no successor, then the successor of the corresponding cell is not defined in g (e.g., the y -cell in g_4). Also, if a variable is missing in the graph, then this means that the cell to which the variable points is left unspecified (e.g., variable z in g_3). The ordering *Ord* on cells is illustrated by dashed arrows. A dashed single-headed arrow from a cell m_1 to a cell m_2 indicates that $m_1 \prec m_2$. A dashed double-headed arrow between m_1 and m_2 indicates that $m_1 \equiv m_2$. To simplify the figures, we omit self-loops indicating value reflexivity (i.e., $m \equiv m$). We can view a signature as three graphs with a common set of vertices, and with three edge relations; where

the first edge relation gives the graph structure, and the other two define the ordering on cell values (inequality resp. equality)




Fig. 3. Examples of signatures.

is then the inverse of implication: smaller signatures impose less restrictions and hence characterize larger sets of heaps. We derive a small signature from a larger one, by deleting cells, edges, variables in the graph of the signature, and by weakening the ordering requirements on the cells (the latter corresponds to deleting edges encoding the two relations on data values). To define the ordering, we give first definitions and describe some operations on signatures. Fix a signature $g = (M, Succ, \lambda, Ord)$.

A cell $m \in M$ is said to be *semi-isolated* if there is no $x \in X$ with $\lambda(x) = m$, the value of m is free, $Succ^{-1}(m) = \emptyset$, and either $Succ(m) = \perp$ or $Succ(m) = *$. In other words, m is not pointed to by any variables, its value is not related to that of any other cell, it has no predecessors, and it has no successors (except possibly $*$). We say that m is *isolated* if it is semi-isolated and in addition $Succ(m) = \perp$. A cell $m \in M$ is said to be *simple* if there is no $x \in X$ with $\lambda(x) = m$, the value of m is free, $|Succ^{-1}(m)| = 1$, and $Succ(m) \neq \perp$. In other words, m has exactly one predecessor, one successor and no label. In Figure 3, the topmost cell of g_3 is isolated, and the successor of the x -cell in g_4 is simple. In Figure 1, the cell to the left of the w -cell is semi-isolated in the signature of the heap.

The operations $(g.Succ)[m_1 \leftarrow m_2]$ and $(g.\lambda)[x \leftarrow m]$ are defined in identical fashion to the case of heaps. Furthermore, for cells m_1, m_2 and $\square \in \{<, \equiv, \perp\}$, we define $(g.Ord)[(m_1, m_2) \leftarrow \square]$ to be the signature g' we obtain from g by

In fact, each heap $h = (M, Succ, \lambda, Val)$ induces a unique signature which we denote by $sig(h)$. More precisely, $sig(h) := (M, Succ, \lambda, Ord)$ where, for all cells $m_1, m_2 \in M$, we have $m_1 < m_2$ iff $Val(m_1) < Val(m_2)$ and $m_1 \equiv m_2$ iff $Val(m_1) = Val(m_2)$. In other words, in the signature of h , we remove the concrete values in the cells and replace them by the ordering relation on the cell values. For example, in Figure 2 and Figure 3, we have $g_0 = sig(h_0)$.

Ordering We define an ordering \sqsubseteq on signatures. The intuition is that each signature can be interpreted as a predicate which characterizes an infinite set of heaps. The ordering

making the ordering relation between m_1 and m_2 equal to \sqsubset . For a variable x , we define $g \ominus x$ to be the signature g' we get from g by deleting the variable x from the graph, i.e., $g' = (g.\lambda)[x \leftarrow \perp]$. For a cell m , we define the signature $g' = g \ominus m = (M', Succ', \lambda', Ord')$ in a manner similar to the case of heaps. The only difference is that Ord' (rather than Val') is the restriction of Ord to pairs of cells both of which are different from m .

Now, we are ready to define the ordering. For signatures $g = (M, Succ, \lambda, Ord)$ and $g' = (M', Succ', \lambda', Ord')$, we write that $g \triangleleft g'$ to denote that one of the following properties is satisfied:

- *Variable Deletion*: $g = g' \ominus x$ for some variable x ,
- *Cell Deletion*: $g = g' \ominus m$ for some isolated cell $m \in M'$,
- *Edge Deletion*: $g = (g'.Succ)[m \leftarrow \perp]$ for some $m \in M'$,
- *Contraction*: there are cells $m_1, m_2, m_3 \in M'$ and a signature g_1 such that m_2 is simple, $Succ'(m_1) = m_2$, $Succ'(m_2) = m_3$, $g_1 = (g'.Succ)[m_1 \leftarrow m_3]$ and $g = g_1 \ominus m_2$, or
- *Order Deletion*: $g = (g'.Ord)[(m_1, m_2) \leftarrow \perp]$ for some cells $m_1, m_2 \in M'$.

We write $g \sqsubseteq g'$ to denote that there are $g_0 \triangleleft g_1 \triangleleft g_2 \triangleleft \dots \triangleleft g_n$ with $n \geq 0$, $g_0 = g$, and $g_n = g'$. That is, we can obtain g from g' by performing a finite sequence of variable deletion, cell deletion, edge deletion, order deletion, and contraction operations. In Figure 3 we obtain: g_1 from g_0 through three order deletions; g_2 from g_1 through one order deletion; g_3 from g_2 through one variable deletion and two edge deletions; g_4 from g_3 through one node deletion and one edge deletion; and g_5 from g_4 through one contraction. It means that $g_5 \triangleleft g_4 \triangleleft g_3 \triangleleft g_2 \triangleleft g_1 \triangleleft g_0$ and hence $g_5 \sqsubseteq g_0$.

We define an ordering \sqsubseteq on heaps such that $h \sqsubseteq h'$ iff $sig(h) \sqsubseteq sig(h')$. For a heap h and a signature g , we say that h satisfies g , denoted $h \models g$, if $g \sqsubseteq sig(h)$. In this manner, each signature characterizes an infinite set of heaps, namely the set $\llbracket g \rrbracket := \{h \mid h \models g\}$. Notice that $\llbracket g \rrbracket$ is upward closed w.r.t. the ordering \sqsubseteq on heaps. We also observe that, for signatures g and g' , we have that $g \sqsubseteq g'$ iff $\llbracket g' \rrbracket \subseteq \llbracket g \rrbracket$. For a (finite) set G of signatures we define $\llbracket G \rrbracket := \bigcup_{g \in G} \llbracket g \rrbracket$.

Considering the heaps of Figure 2 and the signatures of Figure 3, we have $h_1 \models g_0$, $h_2 \not\models g_0$, $h_0 \sqsubseteq h_1$, $h_0 \not\sqsubseteq h_2$, $g_1 \sqsubseteq g_0$, etc.

Remark Our definition implies that signatures cannot specify “exact distances” between cells. For instance, we cannot specify the set of heaps in which the x -cell and the y -cell are exactly of distance one from each other. In fact, if such a heap is in the set then, since we allow contraction, heaps where the distance is larger than one will also be in the set. On the other hand, we can characterize sets of heaps where two cells are at distance at least k from each other for some $k \geq 1$.


It is also worth mentioning that the classical graph minor relation is too weak for our class of programs. The reason is that the contraction operation is insensitive to the directions of the edges; and furthermore the ordering allows merging vertices which carry different labels (different variables). This means that for almost all the programs considered in this paper, we would get spurious examples falsifying the safety property.

4 Bad Configurations

In this section, we show how to use signatures in order to specify sets of *bad heaps* for programs which produce ordered linear lists. A signature is interpreted as a *forbidden pattern* which should not occur inside the heap. Typically, we would like such a program to produce a heap which is a linear list. Furthermore, the heap should not contain any garbage, and the output list should be ordered. For each of these three properties, we describe the corresponding forbidden patterns as a set of signatures which characterize exactly those heaps which violate the property. Later, we will collect all these signatures into a single set which exactly characterizes the set of bad configurations.


First, we give some definitions. Fix a heap $h = (M, Succ, \lambda, Val)$. A *loop* in h is a set $\{m_0, \dots, m_n\}$ of cells such that $Succ(m_i) = m_{i+1}$ for all $i : 0 \leq i < n$, and $Succ(m_n) = m_0$. For cells $m, m' \in M$, we say that m' is *visible* from m if there are cells m_0, m_1, \dots, m_n for some $n \geq 0$ such that $m_0 = m$, $m_n = m'$, and $m_{i+1} = Succ(m_i)$ for all $i : 0 \leq i < n$. In other words, there is a (possibly empty) path in the graph leading from m to m' . We say that m' is *strictly visible* from m if $n > 0$ (i.e. the path is not empty). A set $M' \subseteq M$ is said to be *visible* from m if some $m' \in M'$ is visible from m .

Well-Formedness We say that h is *well-formed* w.r.t. a variable x if $\#$ is visible from the x -cell. Equivalently, neither the cell $*$ nor any loop is visible from the x -cell. Intuitively, if a heap satisfies this condition, then



the part of the heap visible from the x -cell forms a linear list ending with $\#$. For instance, the heap of Figure 1 is well-formed w.r.t. the variables v and z . In Figure 2, h_0 is not well-formed w.r.t. the variables x and z (a loop is visible), and h_4 is not well-formed w.r.t. z (the cell $*$ is visible). The set of heaps violating well-formedness w.r.t. x are characterized by the four signatures in the figure to the right. The signatures b_1 and b_2 characterize (together) all heaps in which the cell $*$ is visible from the x -cell. The signatures b_3 and b_4 characterize (together) all heaps in which a loop is visible from the x -cell.

Garbage We say that h contains *garbage* w.r.t. a variable x if there is a cell $m \in M$ in h which is not visible from the x -cell. In Figure 2, the heap h_0 contains one cell which is garbage w.r.t. x , namely the cell with value 1. The figure to the right shows six signatures which together characterize the set of heaps which contain garbage w.r.t. x .



Sortedness A heap is said to be *sorted* if it satisfies the condition that whenever a cell $m_1 \in M$ is visible from a cell $m_2 \in M$ then $Val(m_1) \leq Val(m_2)$. For instance, in Figure 2, only h_5 is sorted.



The figure to the right shows a signature which characterizes all heaps which are not sorted.

Putting Everything Together Given a (reference) variable x , a configuration is considered to be *bad* w.r.t. x if it violates one of the conditions of being well-formed w.r.t. x , not containing garbage w.r.t. x , or being sorted. As explained

above, the signatures b_1, \dots, b_{11} characterize the set of heaps which are bad w.r.t. x . We observe that $b_1 \sqsubseteq b_9$, $b_2 \sqsubseteq b_{10}$, $b_3 \sqsubseteq b_5$ and $b_4 \sqsubseteq b_6$, which means that the heaps b_9, b_{10}, b_5, b_6 can be discarded from the set above. Therefore, the set of bad configurations w.r.t. x is characterized by the set $\{b_1, b_2, b_3, b_4, b_7, b_8, b_{11}\}$.

Remark Other types of bad patterns can be defined in a similar manner. Examples can be found in the appendix.

5 Reachability Analysis


In this section, we show how to check safety properties through backward reachability analysis. First, we give an over-approximation \longrightarrow_A of the transition relation \longrightarrow . Then, we describe how to compute predecessors of signatures w.r.t. \longrightarrow_A ; and introduce sets of *initial* heaps (from which the program starts running). Finally, we describe how to check safety properties using backward reachability analysis.

Over-Approximation The basic step in backward reachability analysis is to compute the set of predecessors of sets of heaps characterized by signatures.

More precisely, for a signature g and an operation op , we would like to compute a finite set G of signatures such that $\llbracket G \rrbracket = \{h \mid h \xrightarrow{op} \llbracket g \rrbracket\}$. Consider the signature g to right. The set $\llbracket g \rrbracket$ contains exactly all heaps where x and y point to the same cell. Consider the operation op defined by $y := z.next$. The set H of heaps from which we can perform the operation and obtain a heap in $\llbracket g \rrbracket$ are all those where the x -cell is the immediate successor of the z -cell. Since signatures cannot capture the immediate successor relation (see the remark in the end of Section 3), the set H cannot be characterized by any set G of signatures, i.e., there is no G such that $\llbracket G \rrbracket = H$. To overcome this problem, we define an approximate transition relation \longrightarrow_A which is an over-approximation of the relation \longrightarrow . More precisely, for heaps h and h' , we have $h \xrightarrow{op}_A h'$ iff there is a heap h_1 such that $h_1 \sqsubseteq h$ and $h_1 \xrightarrow{op} h'$.

Computing Predecessors We show that, for an operation op and a signature g , we can compute a finite set $Pre(op)(g)$ of signatures such that $\llbracket Pre(op)(g) \rrbracket = \{h \mid h \xrightarrow{op}_A \llbracket g \rrbracket\}$. For instance in the above case the set $Pre(op)(g)$ is given by the $\{g_1, g_2\}$ shown in the figure to the right. Notice that $\llbracket \{g_1, g_2\} \rrbracket$ is the set of all heaps in which the x -cell is strictly visible from the z -cell. In fact, if we take any heap satisfying $\llbracket g_1 \rrbracket$ or $\llbracket g_2 \rrbracket$, then we can perform contraction (possibly several times) until the x -cell becomes the immediate successor of the z -cell, after which we can perform op thus obtaining a heap where x and y point to the same cell.

For each signature g and operation op , we show how to compute $Pre(op)(g)$ as a finite set of signatures. Due to lack of space, we show the definition only for the operation *new*. The definitions for the rest of the operations can be found in the appendix. For a cell $m \in M$ and a variable $x \in X$, we define m being *x-isolated* in a manner similar to m being *isolated*, except that we now allow m to be pointed to by x (and only x). More precisely, we say m is *x-isolated* if



$\lambda(y) \neq \lambda(x)$ for all $y \neq x$, $Succ(m) \neq \lambda(x)$ for all cells $m \in M$, $Succ(m) = \perp$, and $Ord(x, y) = Ord(y, x) = \perp$ for all $y \neq x$. We define m being *x-semi-isolated* in a similar manner, i.e., by also allowing $*$ to be the successor of the x -cell. For instance, the leftmost cell of the signature b_1 in Section 4, and the x -cell in the signature $sig(h_5)$ in Figure 2 are *x-semi-isolated*.

We define $Pre(g)(new(x))$ to be the set of signatures g' such that one of the following conditions is satisfied:

- $\lambda(x)$ is *x-semi-isolated*, and there is a signature g_1 such that $g_1 = g \ominus \lambda(x)$ and $g' = g_1 \ominus x$.
- $\lambda(x) = \perp$ and $g' = g$ or $g' \in g \ominus m$ for some semi-isolated cell m .

Initial Heaps A program starts running from a designated set H_{Init} of *initial heaps*. For instance, in a sorting program, H_{Init} is the set of well-formed lists which are (potentially) not sorted. Notice that this set is infinite since there is no bound on the lengths of the input lists. To deal with input lists, we follow the methodology of [7], and augment the program with an *initialization phase*. The program starts from an empty heap (denoted h_ϵ) and systematically (and non-deterministically) builds an arbitrary initial heap. In the case of sorting, the initial phase builds a well-formed list of an arbitrary length. We can now take the set H_{Init} to be the singleton containing the empty heap h_ϵ .

Checking Safety Properties To check a safety property, we start from the set G_{Bad} of bad signatures, and generate a sequence G_0, G_1, G_2, \dots of finite sets of signatures, where $G_0 = G_{Bad}$ and $G_{i+1} = \bigcup_{g \in G_i} Pre(g)$. Each time we generate a signature g such that $g' \sqsubseteq g$ for some already generated signature g' , we discard g from the analysis. We terminate the procedure when we reach a point where no new signatures can be added (all the new signatures are subsumed by existing ones). In such a case, we have generated a set G of signatures that characterize all heaps from which we can reach a bad heap through the approximate transition relation \rightarrow_A . The program satisfies the safety property if $g \not\sqsubseteq sig(h_\epsilon)$ for all $g \in G$.

6 Experimental Results

We have implemented the method described above in a prototype written in Java. Figure 1 shows the results of running the prototype on a number of programs. Table 1 shows the time and number of iterations it took for the run to complete. The column “#Sig.” shows the total number of signatures that were computed throughout the analysis. We have also considered buggy versions of some programs in which case the prototype reports an error. All experiments were performed on a 2.2 GHz Intel Core 2 Duo with 4 GB of RAM. For each program, we verify well-formedness, absence of garbage and sortedness. In the case of **partition**, we also verify that the two resulting lists do not have common elements.

Remark on Spurious Errors

Since the transition relation used in the analysis is an over-approximation, there is a risk of generating false counter-examples. In our experiments, this arises only in one example, namely a version of `Merge` (different from the one included in Table 1) in which one pointer x follows another pointer y , such that there is one cell between x and y . If y moves first followed by x then, according to our approximation, the pointers may now point to the same cell. This kind of counter-examples can be dealt with by refining the approximation so that contraction is allowed only if the size of the resulting list segment will not become smaller than some given $k \geq 1$. For the above counter-example, it is sufficient to take $k = 2$. Notice that in the current approximation we have $k = 1$.

Prog.	Time	#Sig.	#Iter.
<code>Insert</code>	2.9 s	1601	82
<code>Insert (bug)</code>	0.9 s	267	28
<code>Merge</code>	22.4 s	5830	183
<code>Reverse</code>	1.2 s	311	69
<code>ReverseCyclic</code>	1.5 s	574	85
<code>Partition</code>	1501 s	32944	150
<code>BubbleSort</code>	35.7 s	10034	142
<code>BubbleSortCyclic</code>	36.1 s	10143	150
<code>BubbleSort (bug)</code>	0.9 s	181	22
<code>InsertionSort</code>	1510 s	39267	212

Table 1. Experimental results

7 Conclusions and Future Work

We have presented a method for automatic verification of safety properties for programs which manipulate heaps containing data. The main ingredient is a compact data structure, called a signature, for symbolic representation of infinite sets of heaps. Signatures are used as forbidden patterns which characterize heaps violating safety properties such as absence of garbage, well-formedness, and sortedness. A given safety property can be checked by performing backward reachability analysis on the set of signatures. Although the procedure is not guaranteed to terminate in general, our prototype implementation terminates on all the given examples. The experimental results are quite encouraging, especially considering the fact that our code is still highly unoptimized. For instance, most of the verification time is spent on checking entailment between signatures. We are currently using a simple but inefficient (brute-force) algorithm for checking entailment. We believe that adapting specialized algorithms such as the one described in [18] will substantially improve performances of the tool.

Several extensions of our framework can be carried out by refining the considered preorder (and the abstraction it induces). For instance, it could be possible to consider integer program variables whose values are related to the lengths of paths in the heap. Such an extension with arithmetical reasoning can be done in our framework by considering preorders involving for instance *gap-order constraints* [15]. Another direction for future work is to consider more general classes of heaps with multiple selectors, and then study programs operating on data structures such as doubly-linked lists and trees both with and without data.

References

1. P. A. Abdulla, A. Annichini, and A. Bouajjani. Using forward reachability analysis for verification of lossy channel systems. *Formal Methods in System Design*, 25(1):39–65, 2004.
2. P. A. Abdulla, M. Atto, J. Cederberg, and R. Ji. Automatic verification of dynamic data-dependent programs. <http://user.it.uu.se/~jonmo/TACAS09/TACAS09.pdf>.
3. P. A. Abdulla, A. Bouajjani, J. Cederberg, F. Haziza, and A. Rezine. Monotonic abstraction for programs with dynamic memory heaps. In *Proc. CAV '08*, volume 5123 of *LNCS*, pages 341–354, 2008.
4. P. A. Abdulla, N. B. Henda, G. Delzanno, and A. Rezine. Regular model checking without transducers. In *Proc. TACAS '07*, volume 4424 of *LNCS*, pages 721–736. Springer Verlag, 2007.
5. A. Bouajjani, M. Bozga, P. Habermehl, R. Iosif, P. Moro, and T. Vojnar. Programs with lists are counter automata. In *Proc. CAV '06*, volume 4144 of *LNCS*, pages 517–531, 2006.
6. A. Bouajjani, P. Habermehl, P. Moro, and T. Vojnar. Verifying programs with dynamic 1-selector-linked structures in regular model checking. In *Proc. TACAS '05*, volume 3440 of *LNCS*, pages 13–29. Springer, 2005.
7. A. Bouajjani, P. Habermehl, A. Rogalewicz, and T. Vojnar. Abstract tree regular model checking of complex dynamic data structures. In *Proc. SAS '06*, volume 4134 of *LNCS*, 2006.
8. A. Bouajjani, P. Habermehl, and T. Vojnar. Abstract regular model checking. In *Proc. CAV '04*, volume 3114 of *LNCS*, pages 372–386, Boston, 2004.
9. P. Ganty, J. Raskin, and L. V. Begin. A complete abstract interpretation framework for coverability properties of wsts. In *Proc. VMCAI '06*, volume 3855 of *LNCS*, pages 49–64, 2006.
10. B. Guo, N. Vachharajani, and D. I. August. Shape analysis with inductive recursion synthesis. In *Proc. PLDI '07*, volume 42, pages 256–265, 2007.
11. J. Henriksen, J. Jensen, M. Jørgensen, N. Klarlund, B. Paige, T. Rauhe, and A. Sandholm. Mona: Monadic second-order logic in practice. In *Proc. TACAS '95*, volume 1019 of *LNCS*, 1996.
12. T. Lev-Ami, T. W. Reps, S. Sagiv, and R. Wilhelm. Putting static analysis to work for verification: A case study. In *Proc. ISSTA '00, ACM SIGSOFT International Symposium on Software Testing and Analysis*, pages 26–38, 2000.
13. A. Møller and M. I. Schwartzbach. The pointer assertion logic engine. In *Proc. PLDI '01*, volume 26, pages 221–231, 2001.
14. H. H. Nguyen, C. David, S. Qin, and W.-N. Chin. Automated verification of shape and size properties via separation logic. In *Proc. VMCAI '07*, volume 4349 of *LNCS*, pages 251–266, 2007.
15. P. Revesz. *Introduction to Constraint Databases*. Springer, 2002.
16. J. C. Reynolds. Separation logic: A logic for shared mutable data structures. In *Proc. LICS '02*, pages 55–74, 2002.
17. S. Sagiv, T. Reps, and R. Wilhelm. Parametric shape analysis via 3-valued logic. *ACM Trans. on Programming Languages and Systems*, 24(3):217–298, 2002.
18. G. Valiente. Constrained tree inclusion. *J. Discrete Algorithms*, 3(2-4):431–447, 2005.
19. H. Yang, O. Lee, J. Berdine, C. Calcagno, B. Cook, D. Distefano, and P. W. O'Hearn. Scalable shape analysis for systems code. In *Proc. CAV '08*, volume 5123 of *LNCS*, pages 385–398, 2008.

A Example Programs


Some of the programs verified and reported on in Section 6 are described below.

- In Figure 4, the program `insert` is illustrated. It inserts the `elem`-cell into the sorted list pointed to by `x`, such that the resulting list is again sorted. As one can see, the initialization phase first creates a non-empty sorted linked list, and then an additional node to be inserted. For this program, the set of bad states is the set described in Section 4.
- The faulty version of the program `insert` is identical to the one in Figure 5, except that `t1:=x.next` is substituted for `t1:=x` on line 16. It is intended to work the same way as the correct version, but the faulty initialization of `t1` makes it fail for the case of the `elem`-cell containing a smaller value than any other value in the list. This program also uses the set of bad states described in Section 4, and we get a trace to the bad state b_4 as expected.
- In Figure 5, the `merge` program is shown. It takes as input two sorted lists, and merges them into one sorted list. The set of bad states is the same as for `insert`.
- The `Reverse` program reverses a linear list. The set of bad states are again the same as for `insert`, but this program instead take a list that is inversely sorted as input.
- The program `ReverseCyclic` takes a cyclic inversely sorted list as input, returns a cyclically well-formed sorted list. Therefore the bad states for this program is the set $\{b_6, b_{12}, b_{13}, \dots, b_{18}\}$, which has been pruned using an argument similar the one found in Section 4.

For more programs and explanations, see [2]


B More Bad Patterns

Well-Formedness for Cyclic Lists We say that h is cyclically well-formed w.r.t. a variable x if the x -cell belongs to a loop. Intuitively, if a heap satisfies this condition, then the part of the heap visible from the x -cell forms a cyclic list. The set of heaps



violating cyclic well-formedness w.r.t. x are characterized by the three signatures in the figure to the right. The signatures b_{12} and b_{13} characterizes (together) all heaps in which the cell $*$ is visible from the x -cell, and the signatures b_{14} and b_{16} characterize all heaps in which the cell $\#$ is visible from the x -cell. The signature b_{15} characterizes all heaps in which a loop is visible from the x -cell, but where the x -cell itself is not part of the loop.

Cyclic Sortedness A heap is said to be *cyclically sorted* with respect to the variable x if it is cyclically well-formed w.r.t. x and satisfies the condition that whenever a cell $m_1 \in M$ belongs to the same loop as the x -cell m_2 , then




```

1 new(x)
2 read(x)
3 x.next:=#
4 while(NonDet) {
5   new(temp)
6   temp.num:>x.num
7   temp.next:=x
8   x:=temp
9 }
10 new(elem)
11 read(elem)
12 if(x.num>elem.num) {
13   elem.next:=x
14   x:=elem
15   return x }
16 t1:=x.next
17 t2:=x
18 while(t1!=#) {
19   if(t1.num<elem.num) {
20     t2:=t1
21     t1:=t2.next }
22   else {
23     t2.next:=elem
24     elem.next:=t1
25     return x }
26 }
27 t2.next:=elem
28 elem.next:=#
29 return x

```

Fig. 4. The insert program including initialization phase

```


1 if(x=#) {
2   h:=y
3   return h }
4 if(y=#) {
5   h:=x
6   return h }
7 if(x.val<y.val) {
8   h:=x
9   x:=h.next }
10 else {
11   h:=y
12   y:=h.next }
13 t:=h
14 while(x!=#&&y!=#) {
15   if(x.val<y.val) {
16     t.next:=x
17     t:=x
18     x:=x.next }
19   else {
20     t.next:=y
21     t:=y
22     y:=y.next }
23 }
24 if(x!=#) { t.next:=x }
25 if(y!=#) { t.next:=y }
26 return h

```

Fig. 5. The merge program without initialization phase

either $Val(m_1) \leq Val(Succ(m_1))$ or $Succ(m_1) = m_2$, but not both. Intuitively, this means that the x -cell has the smallest value of all cells in the cycle, and that the each consecutive pair of cells in the cycle is pairwise sorted. The figure to the right shows the two signatures b_{17} and b_{18} , which together with the signatures $b_{12}, b_{13}, b_{14}, b_{15}$ and b_{16} characterizes all heaps that are not cyclically sorted w.r.t. x .

Sharing We say that h exhibits *sharing* w.r.t. two variables x and y if there is a cell $m \in M$ in h which is visible from both the x -cell and the y -cell. In Figure 2, the heaps h_0, h_1 and h_2 exhibits sharing w.r.t. the variables x and z . The figure to the right shows four signatures b_{19}, b_{20}, b_{21} and b_{22} , which together characterize the set of heaps which exhibits sharing w.r.t. the variables x and y .



Garbage With Multiple Pointers We say that h contains *garbage* w.r.t a set of variables X if there is a cell $m \in M$ in h which is not visible from the cell pointed to by any $x \in X$. The signatures characterizing these heaps are straightforward to derive from the signatures describing the property of garbage w.r.t. a single variable.

C Operational Semantics

In this section, we define the transition operations on heaps. A binary relation R on a set A is said to be a *partial order* if it is irreflexive and transitive. We say that R is an equivalence relation if it is reflexive, symmetric, and transitive. We use $f(a) \doteq f(b)$ to denote that $f(a) \neq \perp$, $f(b) \neq \perp$, and $f(a) = f(b)$, i.e., $f(a)$ and $f(b)$ are defined and equal. Analogously, we write $f(a) \triangleleft f(b)$ to denote that $f(a) \neq \perp$, $f(b) \neq \perp$, and $f(a) < f(b)$. We will abuse the notation slightly by letting $\lambda(\text{null}) = \#$. For heaps h and h' , $h \xrightarrow{op} h'$ holds if one of the following conditions is satisfied:

- op is of the form $x = y$, $\lambda(x) \neq *$, $\lambda(y) \neq *$, $\lambda(x) = \lambda(y)$, and $h' = h$. In other words, the transition is enabled if the pointers are not dangling, and they point to the same cell.
- op is of the form $x \neq y$, $\lambda(x) \neq *$, $\lambda(y) \neq *$, $\lambda(x) \neq \lambda(y)$, and $h' = h$.
- op is of the form $x := y$, $\lambda(y) \neq *$, and $h' = (h.\lambda)[x \leftarrow \lambda(y)]$.
- op is of the form $x := y.next$, $\lambda(y) \in M$, $Succ(\lambda(y)) \neq *$, and $h' = (h.\lambda)[x \leftarrow Succ(\lambda(y))]$.
- op is of the form $x.next := y$, $\lambda(x) \in M$, $\lambda(y) \neq *$, and $h' = (h.Succ)[\lambda(x) \leftarrow \lambda(y)]$.
- op is of the form $new(x)$, $M' = M \cup \{m\}$ for some $m \notin M$, $\lambda' = \lambda[x \leftarrow m]$, $Succ' = Succ[m \leftarrow *]$, $Val'(m') = Val(m')$ if $m' \neq m$, and $Val'(m) = \perp$. This operation creates a new cell and makes x point to it. The value of the new cell is not defined, while the successor is the special cell $*$.

- op is of the form $delete(x)$, $\lambda(x) \in M$, and $h' = h \ominus \lambda(x)$. The operation deletes the x -cell.
- op is of the form $read(x)$, $\lambda(x) \in M$, and $h' = (h.Val) [\lambda(x) \leftarrow i]$, where i is the value assigned to x -cell.
- op is of the form $x.num = y.num$, $\lambda(x) \in M$, $\lambda(y) \in M$, $Val(\lambda(x)) \doteq Val(\lambda(y))$, and $h' = h$. The transition is enabled if the pointers are not dangling and the values of their cells are defined and equal.
- op is of the form $x.num < y.num$, $\lambda(x) \in M$, $\lambda(y) \in M$, $Val(\lambda(x)) \prec Val(\lambda(y))$, and $h' = h$.
- op is of the form $x.num := y.num$, $\lambda(x) \in M$, $\lambda(y) \in M$, $Val(\lambda(y)) \neq \perp$, and $h' = (h.Val) [\lambda(x) \leftarrow Val(\lambda(y))]$.
- op is of the form $x.num :=> y.num$, $\lambda(x) \in M$, $\lambda(y) \in M$, $Val(\lambda(y)) \neq \perp$, and $h' = (h.Val) [\lambda(x) \leftarrow i]$, where $i > Val(\lambda(y))$. The case for $x.num :=< y.num$ is defined analogously.

D Operations on Signatures

In this section, a number of operations on signatures are defined. A signature g is said to be *saturated* if (i) \equiv is an equivalence relation; (ii) \prec is a partial order; (iii) $m_1 \equiv m_2$ $m_2 \prec m_3$ implies $m_1 \prec m_3$; and (iv) $m_3 \prec m_1$ and $m_1 \equiv m_2$ implies $m_3 \prec m_2$. For a signature $g = (M, Succ, \lambda, Ord)$, we define its *saturation*, denoted $sat(g)$, to be the signature $(M, Succ, \lambda, Ord')$ where $Ord' \supseteq Ord$ is the smallest set sufficient for making g saturated. We use $M^\#$ to denote $M \cup \{\#\}$. Assume a saturated signature $g = (M, Succ, \lambda, Ord)$.

Operations on cells. For $m \notin M$, we define $g \oplus m$ to be the signature $g' = (M', Succ', \lambda', Ord')$ such that $M' = M \cup \{m\}$, $Succ' = Succ$, $\lambda' = \lambda$, and $Ord' = Ord$. i.e. we add a new cell to g . Observe that the added cell is then isolated.

We define $g \oplus \lambda(x)$ to be the signature $g' = (M', Succ', \lambda', Ord')$ such that $M' = M \cup \{m\}$, $Succ' = Succ$, $\lambda' = \lambda[x \leftarrow m]$, and $Ord' = Ord$. i.e. we add a new cell to g which is pointed by x .

For $m \in M$, we define $g \ominus m$ to be the signature $g' = (M', Succ', \lambda', Ord')$ such that

- $M' = M - \{m\}$.
- $Succ'(m') = Succ(m')$ if $Succ(m') \neq m$, and $Succ'(m') = *$ otherwise.
- $\lambda'(x) = *$ if $\lambda(x) = m$, and $\lambda'(x) = \lambda(x)$ otherwise.
- $Ord'(m_1, m_2) = Ord(m_1, m_2)$ if $m_1, m_2 \in M'$.

Operations on variables. We use $g \oplus x$ to denote the set of signatures we get from g by letting x point anywhere inside g , except on $*$. Formally, we define $g \oplus x$ to be the smallest set containing each signature g' such that one of the following conditions is satisfied:

1. There is a cell $m \in M^\#$, and $g' = (g.\lambda)[x \leftarrow m]$.
2. There is a cell $m \notin M$, and a signature g_1 such that $g_1 = g \oplus m$, $g' = (g_1.\lambda)[x \leftarrow m]$.

3. There are $m_1 \in M$, $m_2 \notin M$, and signatures g_1, g_2, g_3 such that $Succ(m_1) \neq \perp$, $g_1 = g \oplus m_2$, $g_2 = (g_1.Succ)[m_2 \leftarrow Succ(m_1)]$, $g_3 = (g_2.Succ)[m_1 \leftarrow m_2]$, and $g' = (g_3.\lambda)[x \leftarrow m_2]$.

For variables x and y , $\lambda(x) \in M^\#$, we use $g \oplus_{=x} y$ to denote $(g.\lambda)[y \leftarrow \lambda(x)]$, *i.e.* we make y point to the same cell as x . Furthermore, we define $g \oplus_{\neq x} y$ to be the smallest set containing each signature g' such that $g' \in (g \oplus y)$, and $\lambda'(y) \neq \lambda'(x)$, *i.e.* we make y point anywhere inside g except on x -cell and $*$. As a special case, we use $g \oplus_{\neq \#} y$ to denote the smallest set containing each signature g' such that $g' \in (g \oplus y)$, and $\lambda'(y) \neq \#$, *i.e.* we make y point anywhere inside g except on $\#$ and $*$.

For variables x and y , $\lambda(x) \in M$, $Succ(\lambda(x)) \in M^\#$, we use $g \oplus_{x \rightarrow} y$ to denote the set of signatures we get from g by letting y point to the successor of x -cell. Formally, we define $g \oplus_{x \rightarrow} y$ to be the smallest set containing each signature g' such that one of the following conditions is satisfied:

1. $g' = (g.\lambda)[y \leftarrow Succ(\lambda(x))]$.
2. There is a cell $m \notin M$, and signatures g_1, g_2, g_3 , such that $g_1 = g \oplus m$, $g_2 = (g_1.Succ)[m \leftarrow Succ_1(\lambda(x))]$, $g_3 = (g_2.Succ)[\lambda(x) \leftarrow m]$, and $g' = (g_3.\lambda)[y \leftarrow m]$.

for variables x and y , $Succ(\lambda(x)) = *$, we use $g \oplus_{x \rightarrow *} y$ to denote the signature we get from g by letting y point to the new added cell in between x -cell and $*$. Formally, we define $g \oplus_{x \rightarrow *} y$ to be the signature g' such that there is a cell $m \notin M$, and signatures g_1, g_2, g_3 , such that $g_1 = g \oplus m$, $g_2 = (g_1.Succ)[m \leftarrow *]$, $g_3 = (g_2.Succ)[\lambda(x) \leftarrow m]$, and $g' = (g_3.\lambda)[y \leftarrow m]$.

For variables x and y , $\lambda(x) \in M^\#$, we use $g \oplus_{x \leftarrow} y$ to denote the set of signatures we get from g by letting y point to any cell except $*$, where it has no successor or its successor is x -cell. Formally, we define $g \oplus_{x \leftarrow} y$ to be the smallest set containing each signature g' such that one of the following conditions is satisfied:

1. There is a cell $m \in M$ such that $Succ(m) = \perp$ or $Succ(m) = \lambda(x)$, and $g' = (g.\lambda)[y \leftarrow m]$.
2. There is a cell $m \notin M$, and a signature g_1 such that $g_1 = g \oplus m$, $g' = (g_1.\lambda)[y \leftarrow m]$.
3. There are $m_1 \in M$, $m_2 \notin M$, and signatures g_1, g_2, g_3 , such that $Succ(m_1) = \lambda(x)$, $g_1 = g \oplus m_2$, $g_2 = (g_1.Succ)[m_2 \leftarrow \lambda(x)]$, $g_3 = (g_2.Succ)[m_1 \leftarrow m_2]$, and $g' = (g_3.\lambda)[y \leftarrow m_2]$.

For variables x and y , $\lambda(x) \in M$, we use $g \oplus_{\equiv x} y$ to denote the set of signatures we get from g by letting y point to any cell such that possibly $\lambda(y) \equiv \lambda(x)$. Formally, we define $g \oplus_{\equiv x} y$ to be the smallest set containing each signature g' such that one of the following conditions is satisfied:

1. There is a cell $m \in M$ such that $Ord(m, \lambda(x)) = \equiv$ or $Ord(m, \lambda(x)) = \perp$, and $g' = (g.\lambda)[x \leftarrow m]$.
2. There is a cell $m \notin M$, and a signature g_1 such that $g_1 = g \oplus m$, $g' = (g_1.\lambda)[x \leftarrow m]$.

3. There are $m_1 \in M$, $m_2 \notin M$, and signatures g_1, g_2, g_3 such that $Succ(m_1) \neq \perp$, $g_1 = g \oplus m_2$, $g_2 = (g_1.Succ)[m_2 \leftarrow Succ(m_1)]$, $g_3 = (g_2.Succ)[m_1 \leftarrow m_2]$, and $g' = (g_3.\lambda)[x \leftarrow m_2]$.

For variables x and y , $\lambda(x) \in M$, we use $g \oplus_{\prec x} y$ to denote the set of signatures we get from g by letting y point to any cell such that possibly $\lambda(y) \prec \lambda(x)$. Formally, we define $g \oplus_{\prec x} y$ to be the smallest set containing each signature g' such that one of the following conditions is satisfied:

1. There is a cell $m \in M$ such that $Ord(m, \lambda(x)) = \prec$, or $Ord(m, \lambda(x)) = \perp$, and $g' = (g.\lambda)[x \leftarrow m]$.
2. There is a cell $m \notin M$, and a signature g_1 such that $g_1 = g \oplus m$, $g' = (g_1.\lambda)[x \leftarrow m]$.
3. There are $m_1 \in M$, $m_2 \notin M$, and signatures g_1, g_2, g_3 such that $Succ(m_1) \neq \perp$, $g_1 = g \oplus m_2$, $g_2 = (g_1.Succ)[m_2 \leftarrow Succ(m_1)]$, $g_3 = (g_2.Succ)[m_1 \leftarrow m_2]$, and $g' = (g_3.\lambda)[x \leftarrow m_2]$.

For variables x and y , $\lambda(x) \in M$, we use $g \oplus_{x \prec} y$ to denote the set of signatures we get from g by letting y point to any cell such that possibly $\lambda(x) \prec \lambda(y)$. Formally, we define $g \oplus_{x \prec} y$ to be the smallest set containing each signature g' such that one of the following conditions is satisfied:

1. There is a cell $m \in M$ such that $Ord(\lambda(x), m) = \prec$, or $Ord(\lambda(x), m) = \perp$, and $g' = (g.\lambda)[x \leftarrow m]$.
2. There is a $m \notin M$, and a signature g_1 such that $g_1 = g \oplus m$, $g' = (g_1.\lambda)[x \leftarrow m]$.
3. There are $m_1 \in M$, $m_2 \notin M$, and signatures g_1, g_2, g_3 such that $Succ(m_1) \neq \perp$, $g_1 = g \oplus m_2$, $g_2 = (g_1.Succ)[m_2 \leftarrow Succ(m_1)]$, $g_3 = (g_2.Succ)[m_1 \leftarrow m_2]$, and $g' = (g_3.\lambda)[x \leftarrow m_2]$.

For a variable x , we use $g \ominus x$ to denote $g' = (g.\lambda)[x \leftarrow \perp]$, *i.e.* we remove x from g .

Operations on edges. For variables x and y , $\lambda(x) \in M$, $\lambda(y) \in M^\#$, we use $g \boxplus (x \rightarrow y)$ to denote $(g.Succ)[\lambda(x) \leftarrow \lambda(y)]$, *i.e.* we remove the edge between x -cell and its successor (if any), and add an edge from x -cell to y -cell.

For a variable x , $\lambda(x) \in M$, we use $g \boxplus (x \rightarrow)$ to denote the set of signatures we get from g by making an edge from x -cell to anywhere inside g , except $*$. Formally, we define $g \boxplus (x \rightarrow)$ to be the smallest set containing each signature g' such that one of the following conditions is satisfied:

1. There is a $m \in M^\#$, and $g' = (g.Succ)[\lambda(x) \leftarrow m]$.
2. There is a $m \notin M$ such that $g' = ((g \oplus m).Succ)[\lambda(x) \leftarrow m]$.
3. There are $m_1 \in M$, $m_2 \notin M$, and signatures g_1, g_2, g_3 , such that $Succ(m_1) \neq \perp$, $g_1 = g \oplus m_2$, $g_2 = (g_1.Succ)[m_2 \leftarrow Succ_1(m_1)]$, $g_3 = (g_2.Succ)[m_1 \leftarrow m_2]$, and $g' = (g_3.Succ)[\lambda_3(x) \leftarrow m_2]$.

We use M^L to denote the set of cells such that for all $m \in M^L$, $Succ(m) = *$. For a variable x , $\lambda(x) \in M$, we define $g \boxplus (M^L \rightarrow x)$ to be the smallest set containing each signature g' such that $g' = (g.Succ)[m' \leftarrow \lambda(x)]$, where $m' \in$

$M^l, M^l \in P(M^L)$, and $P(M^L)$ is the power set of M^L . *i.e.* we get each g' by picking some cells in M^L , and make their successors all point to x .

For a variable x , $\lambda(x) \in M$, we use $g \boxminus (x \rightarrow)$ to denote $(g.Succ) [\lambda(x) \leftarrow \perp]$, *i.e.* we remove the edge from x -cell and its successor (if any).

Operation on ordering relations. For variables x and y , $\lambda(x) \in M$, $\lambda(y) \in M$, we use $g \boxplus (x \equiv y)$ to denote $(g.Ord) [(\lambda(x), \lambda(y)) \leftarrow \equiv]$, $(g.Ord) [(m_1, \lambda(y)) \leftarrow \equiv]$, for $m_1 \in M$, $Ord(m_1, \lambda(x)) = \equiv$, and $(g.Ord) [(m_2, \lambda(x)) \leftarrow \equiv]$, for $m_2 \in M$, $Ord(m_2, \lambda(y)) = \equiv$, *i.e.* we make the ordering relation between x -cell and y -cell equal to \equiv , and make g' saturated.

For variables x and y , $\lambda(x) \in M$, $\lambda(y) \in M$, we use $g \boxplus (x \prec y)$ to denote $(g.Ord) [(\lambda(x), \lambda(y)) \leftarrow \prec]$, $(g.Ord) [(m_1, \lambda(y)) \leftarrow \prec]$, for $m_1 \in M$, $Ord(m_1, \lambda(x)) = \prec$ or $Ord(m_1, \lambda(x)) = \prec$, and $(g.Ord) [(\lambda(x), m_2) \leftarrow \prec]$, for $m_2 \in M$, $Ord(\lambda(y), m_2) = \prec$ or $Ord(\lambda(y), m_2) = \prec$, *i.e.* we make the ordering relation between x -cell and y -cell equal to \prec , and make g' saturated.

For a variable x , $\lambda(x) \in M$, we use $g \boxminus_{Ord} \lambda(x)$ to denote that for all $m \in M - \{\lambda(x)\}$, $(g.Ord) [(\lambda(x), m) \leftarrow \perp]$, $(g.Ord) [(m, \lambda(x)) \leftarrow \perp]$, *i.e.* we remove the ordering relation between x -cell and other cells.

E Computing Predecessors

In this section, we define how to compute predecessors of a saturated signature. We assume a saturated signature $g = (M, Succ, \lambda, Ord)$.

We define $Pre(g)(x = y)$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M^\#$, $\lambda(y) \in M^\#$, $\lambda(x) = \lambda(y)$ and $g' = g$.
- $\lambda(x) \in M^\#$, $\lambda(y) = \perp$, and $g' = g \oplus_{=x} y$.
- $\lambda(x) = \perp$, $\lambda(y) \in M^\#$, and $g' = g \oplus_{=y} x$.
- $\lambda(x) = \perp$, $\lambda(y) = \perp$, and there is a signature g_1 such that $g_1 \in g \oplus x$, $g' = g_1 \oplus_{=x} y$.

We define $Pre(g)(x \neq y)$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M^\#$, $\lambda(y) \in M^\#$, $\lambda(x) \neq \lambda(y)$ and $g' = g$.
- $\lambda(x) \in M^\#$, $\lambda(y) = \perp$, and $g' \in g \oplus_{\neq x} y$.
- $\lambda(x) = \perp$, $\lambda(y) \in M^\#$, and $g' \in g \oplus_{\neq y} x$.
- $\lambda(x) = \perp$, $\lambda(y) = \perp$, and there is a signature g_1 such that $g_1 \in g \oplus x$, $g' \in g_1 \oplus_{\neq x} y$.

We define $Pre(g)(x := y)$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M^\#$, $\lambda(y) \in M^\#$, $\lambda(x) = \lambda(y)$ and $g' = g \ominus x$.
- $\lambda(x) \in M^\#$, $\lambda(y) = \perp$, and there is a signature g_1 such that $g_1 = g \oplus_{=x} y$, $g' = g_1 \ominus x$.
- $\lambda(x) = \perp$, $\lambda(y) \in M^\#$, and $g' = g$.

- $\lambda(x) = \perp$, $\lambda(y) = \perp$, and $g' \in g \oplus y$.

We define $Pre(g)(x := y.next)$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M^\#$, $\lambda(y) \in M$, $Succ(\lambda(y)) = \lambda(x)$, and $g' = g \ominus x$.
- $\lambda(x) \in M^\#$, $\lambda(y) \in M$, $Succ(\lambda(y)) = \perp$, and there is a signature g_1 such that $g_1 = g \boxplus (y \rightarrow x)$, $g' = g_1 \ominus x$.
- $\lambda(x) \in M^\#$, $\lambda(y) = \perp$, and there are signatures g_1, g_2 such that $g_1 \in g \oplus_{x \leftarrow y}$, $g_2 = g_1 \boxplus (y \rightarrow x)$, $g' = g_2 \ominus x$.
- $\lambda(x) = \perp$, $\lambda(y) \in M$, $Succ(\lambda(y)) \in M^\#$, and $g' = g$.
- $\lambda(x) = \perp$, $\lambda(y) \in M$, $Succ(\lambda(y)) = *$, and there is a signature g_1 such that $g_1 = g \oplus_{y \rightarrow *} x$, $g' = g_1 \ominus x$.
- $\lambda(x) = \perp$, $\lambda(y) \in M$, $Succ(\lambda(y)) = \perp$, and $g' \in g \boxplus (y \rightarrow)$.
- $\lambda(x) = \perp$, $\lambda(y) = \perp$, and there are signatures g_1, g_2, g_3 such that $g_1 \in g \oplus x$, $g_2 \in g_1 \oplus_{x \leftarrow y}$, $g_3 = g_2 \boxplus (y \rightarrow x)$, $g' = g_3 \ominus x$.

We define $Pre(g)(x.next := y)$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M$, $\lambda(y) \in M^\#$, $Succ(\lambda(x)) = \lambda(y)$, and $g' = g \boxminus (x \rightarrow)$.
- $\lambda(x) \in M$, $Succ(\lambda(x)) \in M^\#$, $\lambda(y) = \perp$, and there is a signature g_1 such that $g_1 \in g \oplus_{x \rightarrow} y$, $g' = g_1 \boxminus (x \rightarrow)$.
- $\lambda(x) \in M$, $Succ(\lambda(x)) = \perp$, $\lambda(y) \in M^\#$, and $g' = g$.
- $\lambda(x) \in M$, $Succ(\lambda(x)) = \perp$, $\lambda(y) = \perp$, and $g' \in g \oplus y$.
- $\lambda(x) = \perp$, $\lambda(y) \in M^\#$, and there is signature g_1 such that $g_1 \in g \oplus_{y \leftarrow} x$, $g' = g_1 \boxminus (x \rightarrow)$.
- $\lambda(x) = \perp$, $\lambda(y) = \perp$, and there are signatures g_1, g_2 such that $g_1 \in g \oplus y$, $g_2 \in g_1 \oplus_{y \leftarrow} x$, $g' = g_2 \boxminus (x \rightarrow)$.

We define $Pre(g)(new(x))$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x)$ is x -semi-isolated, and there is signature g_1 such that $g_1 = g \ominus \lambda(x)$ and $g' = g_1 \ominus x$.
- $\lambda(x) = \perp$ and $g' = g$ or $g' \in g \ominus m$ for some semi-isolated cell m .

We define $Pre(g)(delete(x))$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) = *$, and there are a signature g_1, g_2 such that $g_1 = g \ominus x$, $g_2 = g_1 \oplus \lambda(x)$, $g' = g_2 \boxplus (M^L \rightarrow x)$.
- $\lambda(x) = \perp$, and there is signatures g_1 such that $g_1 = g \oplus \lambda(x)$, $g' = g_1 \boxplus (M^L \rightarrow x)$.

We define $Pre(g)(read(x))$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M$, and $g' = g \boxminus_{Ord} \lambda(x)$.

- $\lambda(x) = \perp$, and there is a signature g_1 such that $g_1 \in g \oplus_{\neq\#} x$, $g' = g_1 \boxminus_{Ord} \lambda(x)$

We define $Pre(g)(x.num = y.num)$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M$, $\lambda(y) \in M$, $\lambda(x) \equiv \lambda(y)$, and $g' = g$.
- $\lambda(x) \in M$, $\lambda(y) \in M$, $Ord(x, y) = \perp$, and $g' = g \boxplus (x \equiv y)$.
- $\lambda(x) \in M$, $\lambda(y) = \perp$, there is signature g_1 such that $g_1 \in g \oplus_{\equiv x} y$, $g' = g_1 \boxplus (x \equiv y)$.
- $\lambda(x) = \perp$, $\lambda(y) \in M$, there is signature g_1 such that $g_1 \in g \oplus_{\equiv y} x$, $g' = g_1 \boxplus (x \equiv y)$.
- $\lambda(x) = \perp$, $\lambda(y) = \perp$, there are signatures g_1, g_2 such that $g_1 \in g \oplus_{\neq\#} y$, $g_2 \in g_1 \oplus_{\equiv y} x$, $g' = g_2 \boxplus (x \equiv y)$.

We define $Pre(g)(x.num < y.num)$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M$, $\lambda(y) \in M$, $\lambda(x) \prec \lambda(y)$, and $g' = g$.
- $\lambda(x) \in M$, $\lambda(y) \in M$, $Ord(x, y) = \perp$, and $g' = g \boxplus (x \prec y)$.
- $\lambda(x) \in M$, $\lambda(y) = \perp$, there is a signature g_1 such that $g_1 \in g \oplus_{x \prec} y$, $g' = g_1 \boxplus (x \prec y)$.
- $\lambda(x) = \perp$, $\lambda(y) \in M$, there is signature g_1 such that $g_1 \in g \oplus_{\prec y} x$, $g' = g_1 \boxplus (x \prec y)$.
- $\lambda(x) = \perp$, $\lambda(y) = \perp$, there are signatures g_1, g_2 such that $g_1 \in g \oplus_{\neq\#} y$, $g_2 \in g_1 \oplus_{\prec y} x$, $g' = g_2 \boxplus (x \prec y)$.

We define $Pre(g)(x.num := y.num)$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M$, $\lambda(y) \in M$, $\lambda(x) \equiv \lambda(y)$, and $g' = g \boxminus_{Ord} \lambda(x)$.
- $\lambda(x) \in M$, $\lambda(y) \in M$, $Ord(x, y) = \perp$, and $g' = g \boxminus_{Ord} \lambda(x)$.
- $\lambda(x) \in M$, $\lambda(y) = \perp$, and there is a signature g_1 such that $g_1 \in g \oplus_{\equiv x} y$, $g' = g_1 \boxminus_{Ord} \lambda(x)$.
- $\lambda(x) = \perp$, $\lambda(y) \in M$, and $g' = g$.
- $\lambda(x) = \perp$, $\lambda(y) = \perp$, and $g' \in g \oplus_{\neq\#} y$.

We define $Pre(g)(x.num \prec y.num)$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M$, $\lambda(y) \in M$, $\lambda(x) \prec \lambda(y)$, and $g' = g \boxminus_{Ord} \lambda(x)$.
- $\lambda(x) \in M$, $\lambda(y) \in M$, $Ord(x, y) = \perp$, and $g' = g \boxminus_{Ord} \lambda(x)$.
- $\lambda(x) \in M$, $\lambda(y) = \perp$, and there is a signature g_1 such that $g_1 \in g \oplus_{x \prec} y$, $g' = g_1 \boxminus_{Ord} \lambda(x)$.
- $\lambda(x) = \perp$, $\lambda(y) \in M$, and $g' = g$.
- $\lambda(x) = \perp$, $\lambda(y) = \perp$, and $g' \in g \oplus_{\neq\#} y$.

We define $Pre(g)(x.num \succ y.num)$ to be the set of saturated signatures g' such that one of the following conditions is satisfied:

- $\lambda(x) \in M, \lambda(y) \in M, \lambda(y) \prec \lambda(x)$, and $g' = g \boxminus_{Ord} \lambda(x)$.
- $\lambda(x) \in M, \lambda(y) \in M, Ord(x, y) = \perp$, and $g' = g \boxminus_{Ord} \lambda(x)$.
- $\lambda(x) \in M, \lambda(y) = \perp$, and there is a signature g_1 such that $g_1 \in g \oplus_{\prec x} y$,
 $g' = g_1 \boxminus_{Ord} \lambda(x)$.
- $\lambda(x) = \perp, \lambda(y) \in M$, and $g' = g$.
- $\lambda(x) = \perp, \lambda(y) = \perp$, and $g' \in g \oplus_{\neq\#} y$.